



NYS OPWDD's Prevention of Choking and Aspiration





Prevention of Choking and Aspiration

The Office for People With Developmental Disabilities (OPWDD) recognizes that individuals with developmental disabilities present a high risk for dysphagia (difficulty swallowing) which can lead to both choking and aspiration.

This online course reviews preventative measures to decrease the risk of choking and aspiration.





Prevention of Choking and Aspiration

COURSE EXPECTATIONS


In this course, you will review the following:

- ✓ Definitions of choking and aspiration
- ✓ Common issues that people with developmental disabilities face when eating or drinking
- ✓ Identification and reduction of hazards through observation of the person and their environment.
- ✓ Interventions to reduce the risk of choking and aspiration.
- ✓ Appropriate first aid responses to an incident





Prevention of Choking and Aspiration




DEFINITIONS

CHOKING

Choking is the blocking of the airway by foods, liquids or foreign objects.



Prevention of Choking and Aspiration



DEFINITIONS

ASPIRATION

Aspiration is the inhaling of foods, liquids or foreign objects into the lungs. This is also known as "going down the wrong pipe".



Prevention of Choking and Aspiration



COMMON ISSUES - 1 of 3

For people with developmental disabilities, common issues exist that place a person at risk for Choking and Aspiration:

- The person has decreased muscle coordination and/or tone which is causing problems with their chewing or swallowing
- The person has difficulty holding their head up or sitting up straight
- The person has impaired mobility which leaves them unable to properly position themselves for adequate swallowing





Prevention of Choking and Aspiration

COMMON ISSUES - 2 of 3

- The person has been diagnosed with Gastroesophageal reflux disease, commonly referred to as GERD or acid reflux
- The person has dental concerns or problems
- The person takes medications that affect the muscles of the throat or mouth and cause delayed swallowing





Prevention of Choking and Aspiration

COMMON ISSUES - 3 of 3

- The person has poor self-eating skills and is prone to food stuffing or rapid eating
- The person has difficulty swallowing anything with inappropriate fluid or food consistencies
- The person is assigned a staff team member who has not been trained in supporting people with their eating/drinking.



Prevention of Choking and Aspiration



PREVENTION IS CRITICAL

- Some incidents are completely preventable
- Mealtime can be pleasurable for some and a difficult time for others
- If we identify problems and develop interventions early, we can ensure the health and safety of individuals and make eating and drinking a pleasant experience



Prevention of Choking and Aspiration



YOUR CHALLENGE!!

- The greatest error made by most treatment teams is failing to identify the source of the real eating/drinking problems
- Treatment Teams should routinely consider a wide range of potential causes
- Intervention and prevention strategies should be identified and noted in the ISP, CFA, any risk assessments and Dining Plans
 - How a person eats should be discussed during the Interdisciplinary Service Planning session, and, if risks are present, a good plan of prevention should be discussed, written down, and shared with all staff that support the individual including day program staff



Prevention of Choking and Aspiration



OBSERVATION

Observation is the greatest incident prevention tool you have. When helping an individual eat or drink make sure your attention and focus stays on the individual.

What to observe:

- Does someone else put food or fluid into this person's mouth?
- Does this person cough or choke during or after finishing their food or beverage?
- Does food fall (or fluid drool) out of this person's mouth?



Prevention of Choking and Aspiration



OBSERVATION

- Does this person regularly refuse liquids?
 - Answer “yes” if, for example, they will not drink for certain staff or if they like drinks that are only thick or only thin
- Does this person regularly refuse food?
 - Answer “yes” if, for example, they will not eat for certain staff or they do not like certain consistencies

Important:

If an individual's eating or drinking pattern changes please notify the nurse or supervisor immediately



Prevention of Choking and Aspiration



OBSERVATION

- Does this person have a medical condition such as cerebral palsy, acid reflux, difficulty swallowing or hiatal hernia?
- Does this person have chronic chest congestion, frequent pneumonia, rattling when breathing, persistent cough or does this person chronically use cough or asthma medication?
- Does this person complain of chest pain or heart burn or have small, frequent vomiting (especially after meals) or frequent or wet burping?
- Does this person eat or drink too rapidly or stuff food into their mouth that may cause choking?





Prevention of Choking and Aspiration

OBSERVATION

- Does this person have extreme food seeking or liquid seeking behavior that may cause injury to them?
- Does this person engage in pica behavior?
 - Some persons with developmental disabilities have a condition called pica that causes them to eat non-edible items such as rubber gloves, batteries, cigarette butts, or paper. It is very important to pay close attention to the environment of the home if there is an individual with pica living there.





Prevention of Choking and Aspiration

INTERVENTIONS are methods to help reduce the risk of choking and aspiration

- Know the individual's written Dining Plan
- Prepare the appropriate food texture and liquid consistency per physician's order
- Only trained staff are to assist with eating
- If there are swallowing difficulties consult with a nurse or supervisor immediately
- Carefully stop the individual from eating if the person coughs, chokes, or gags. Call for help and apply first aid, if needed, to ensure the safety of the individual.





Prevention of Choking and Aspiration

INTERVENTIONS

- Maintain a slow pace of eating and decrease the size of bites
- Be sure individual is seated for meals and snacks in proper sitting position to encourage safe swallowing
- Do not engage in power struggles with persons that have behavioral issues when eating
- Maintain a calm environment while eating and drinking.



Prevention of Choking and Aspiration



SUPERVISION

- Supervision is critical for choking prevention.
- Supervise all individuals when they are eating and/or drinking at meals, snack time, medication administration, in program or in the community:
 - movies
 - picnics
 - ball games
 - restaurants





Prevention of Choking and Aspiration

TRAINING PROTOCOLS

- Staff should be trained in prescribed food and liquid consistencies
- An important note on training protocols
 - If there is any possibility a person is choking, do not wait, call 911 or activate the Emergency Medical Services (EMS) and assist the individual immediately by applying the heimlich maneuver (also known as abdominal thrust) as per your training.
 - If a person is assigned to one-to-one staffing, staff must follow the one-to-one protocol
- Staff should be trained in the Dining Plan for each individual they support





Universal Sign for Choking

- Call for Help
- Activate your Emergency Medical System
- Use your first aid training
- Apply the Heimlich Maneuver*
- Seek medical treatment



*The Heimlich Maneuver should only be applied as per training.





Prevention of Choking and Aspiration

COURSE REVIEW QUESTIONS

Your training is nearly complete, however, to ensure you take away the most important points you will now test your knowledge with review questions.





Prevention of Choking and Aspiration

QUESTION 1 of 4

If there is any possibility a person is choking:

- Call 911 or activate EMS
- Assist the individual immediately
- Wait for the individuals to ask for help
- Both A & B are correct
- None of the above





Prevention of Choking and Aspiration

QUESTION 2 of 4

Walking around while eating can increase the risk of choking.

- True
- False





Prevention of Choking and Aspiration

QUESTION 3 of 4

Any time a person with a developmental disability is eating, you should (choose all that apply):

- Leave the room if they ask for privacy
- Be sure they are seated while eating
- Allow them the freedom to eat how they wish
- Ensure that their food is cut up properly
- Encourage them to eat slowly





Prevention of Choking and Aspiration

QUESTION 4 of 4

If a person's eating or drinking pattern changes you should do the following:

- Cut their food into smaller pieces
- Offer the person additional fluids
- Notify the nurse or supervisor immediately
- Spoon feed the person to complete the meal.



Prevention of Choking and Aspiration

ACKNOWLEDGMENTS

We acknowledge The Division of Developmental Disabilities at the Arizona Department of Economic Security for allowing us to adapt their e-learning course to develop the course that you just completed.

Please continue to the next page to receive credit for having completed this course.





Prevention of Choking and Aspiration

Congratulations!

You have completed the Prevention Choking and Aspiration training.

In order to receive credit for this course, you must click on the "Student Completion Form" button below. A new window will open which will allow you to register your completion of this course in our training database.

[Student Completion Form](#)

